### GMR Vemagiri Power Generation Limited



Vemagiri, Kadiam Mandal, East Godavari Dist. A.P -533125 CIN U23201KA1997PLC032964 T +91-883-2452313 - 317 F +91-883-2452312 W www.gmrgroup.in

Ref: GVPGL-RJY/O&M/20/57

Date: 21/08/2020

The Regional Environmental Engineer Andhra Pradesh Pollution Control Board, 2-532, Shanthinagar, Opp. DIC office, Ramanayyapeta, Kakinada-533 005

Sub: Submission of Environmental Audit report (Form-V) for 2019-2020

Dear Sir,

We are here with submitting Environmental Audit Report (Form-V) for 2019-2020. Kindly acknowledge.

Thanking you,

Yours faithfully,

For GMR Vemagiri Power Generation Limited

Mathews.P

COO, Gas Assets

Encl: As above cc: APPCB-Vijayawada; MOEF- Chennai,









# ENVIRONMENTAL STATEMENT (FORM-V)

21st August 2020

GMR Vemagiri Power Generation Limited
Vemagiri Village
Kadiyam Mandal
East Godavari District
Andhra Pradesh.

#### Form – V (See rule 14) As per Rule –14 of Environmental [Protection] Rules, 1986 and amendments there of

Environmental Audit report for the financial year ending the 31st March-2019

#### PART-A

i)	Name and address of the owner/occupier of the industry, operation or process	Mr.NIRJHAR SARKAR GMR Vemagiri Power Génération Limited, Vemagiri Village, Kadiam Mandal, East Godavari District, Andhra Pradesh-533125. Phone No: 0883-2452313-316 Fax No: 0883-2452312
ii)	Industry category Primary: (STC Code) Secondary: (STC Code)	
iii)	Production Capacity units	388.5 MW
iv)	Year of Establishment	Commercial operation date :16 <sup>th</sup> Sep2006
v)	Date of the last environmental audit report submitted	09 September, 2019

PART - B

a) Water	consumption				
				Water consumption	per day [m³/day]
Purpose	of water consu	mption	D	uring the previous financial year 2018-19	During the current financial year 2019- 2020
i)	DM plan	t		2.9	0
ii)	Cooling			0	0
iii)	Domestic	9		7.6	4.4
iv)	Gardenin	g		0	0
v)	PLF %			0	0
			financial year 2018-2019	financial year 2019- 2020	
	Electrical Power	ntion		0,00	0.00
, IXAW 1	naterial consum	• 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Consumption of raw energy output (Powe	
Name of	raw material	Name produ		During the previous financial year 2018-2019	During the curren financial year 2019- 2020
Nat	tural gas	Electr		0.0	0.0

Note: Consumption of water during the year 2019-20 is given in Annexure – I

Details of consumption of natural gas and power generation are given in

Annexure – II.

## PART - C

#### **Pollution Generated**

(Parameters as specified in the consent issued)

	Pollutants	Quantity of pollutants discharged (mass/Day)	Concentration of pollutants discharged (mass/volume)	Percentage of variation from prescribed standards with reasons	
a) To	otal <u>1.8</u> M <sup>3</sup> /Da	y of water is generate	ed from ETP.	!	
1. pH	I	6.94			
2. TS	SS	0.03357 kg/day	18.65 mg/l		
3. Iro	on as Fe	0.0003 kg/day	0.18 mg/l 0.0 mg/l	Nil	
4. Ph	osphates	0.0 kg/day			
5. Oil & Grease					
Note 1) Tr	: reated effluent a				
Note 1) Tr 2) Tr	: reated effluent a	analysis statement for quantity statement for	r the year 2019-20 is		
Note 1) Tr 2) Tr b) St	: reated effluent a reated effluent of ack gas emissio	analysis statement for quantity statement for	r the year 2019-20 is or the year 2019-20 is		
Note 1) Tr 2) Tr	: reated effluent a reated effluent o	nnalysis statement for quantity statement for ns  Oxides of	r the year 2019-20 is or the year 2019-20 is Plant n	given in Annexure – III. s given in Annexure – IV. ot in operation ot in operation	
Note 1) Tr 2) Tr b) St	: reated effluent a reated effluent of ack gas emission Stack – I	Oxides of Nitrogen(PPM) Particulate Matter(mg/Nm3)	r the year 2019-20 is or the year 2019-20 is  Plant n	ot in operation	
Note 1) Tr 2) Tr b) St	: reated effluent a reated effluent of ack gas emission Stack – I	Oxides of Nitrogen(PPM) Particulate Matter(mg/Nm3) ssion statement for the	r the year 2019-20 is or the year 2019-20 is  Plant n	ot in operation ot in operation	
Note 1) Tr 2) Tr b) St  Note:	: reated effluent a reated effluent of ack gas emissio  Stack – I  Stack gas emis nbient Air Qua	Oxides of Nitrogen(PPM) Particulate Matter(mg/Nm3) Ssion statement for the lity (AAQ) Quality Monitoring S	Plant n Plant n pe year 2019-20 is given	ot in operation ot in operation ven in Annexure – V	

#### PART - D

#### **Hazardous Wastes**

[As specified under Hazardous Wastes (Management and Handling) rules, 1989]

Hazardous Wastes	Total Qua	antity (KL)
	During the previous financial year 2019– 2019	During the current financial year 2019 – 2020
a) From process	1.15	Nil
b) From others	Nil	Nil
c) From pollution control facilities	Nil	Nil

Note: Hazardous Waste Annual return Form IV for the year 2018-19 is given in Annexure – VIII.

#### PART - E

#### Solid Wastes

	Total Quantity	(M.Tones / Year)
	During the previous financial year 2018-2019	During the current financial year 2019-2020
a) From process	Nil	Nil
b) From Pollution control Facilities	Nil	Nil
c) Quantity recycled or reutilized within the unit	Nil	Nil

#### FORM -F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

- 1. Hazardous waste: Hazardous waste Management Form 4(Annual report) as annexure VIII.
- 2. Solid Waste: NIL

#### FORM-G

Impact of pollution control measures on conservation of natural resources and consequently on the cost of production.

Storm water pond is constructed in our plant to collect the rain water from entire plant. Over flow of this rain water is being used as feed water and gardening for our plant requirements. Due to which intake water from river is reduced and running hours of the river water pump is also reduced.

#### FORM - H

Additional investment proposal for environmental protection including abatement of pollution.

All necessary investments for environment protection required are implemented. Further improvement if necessary will be reviewed and action will be taken.

- GVPGL developed greenbelt as per the guide lines.
- Routine green belt maintenance
- Monitoring of environmental parameters with weather monitoring station.
- > Operation and maintenance of environment equipment.

#### FORM-I

### Any other particulars for improving the quality of the environment

- Fully-fledged environmental laboratory was setup for continuous analysis of various streams of waste water, such that any deviations observed are corrected immediately.
- Water meters are used to determine the quantities and for identification of the areas of conservation time to time.
- Most of the water generated in the plant is being utilized for green belt purpose after treating water, which is resulted in huge water conservation.
- Continual plantation programmes are taken for mitigating environmental pollutions.

ANNEXURE – I

RAW WATER CONSUMPTION (m3)
STATEMENT FOR THE FINANCIAL YEAR 2019– 2020

Month	DM Plant	Cooling Make	Domestic	Gardening	Total Consumption	PLF %
Apr-19	0	0	233	0	233	0
May-19	0	0	166	0	166	0
Jun-19	0	0	110	0	110	0
Jul-19	0	0	131	0	131	0
Aug-19	0	0	163	0	163	0
Sep-19	0	0	105	0	105	0
Oct-19	0	0	145	0	145	0
Nov-19	0	0	131	0	131	0
Dec-19	0	0	130	0	130	0
Jan-20	0	0	100	0	100	0
Feb-20	0	0	89	0	89	0
Mar-20	0	0	104	0	104	0
Total/year	0	0	1607	0	1607	
M3/day	0.0	0.0	4.4	0	4.4	
APPCB Limit KL/DAY	384	14000	16	186	14586	

#### ANNEXURE - II

NATURAL GAS AND POWER GENERATION STATEMENT FOR THE FINANCIAL YEAR 2019-2020

	Natural Gas Consumption	Gross Power
Month	24 hrs basis	Generation
	(SCM)	MU
April-19	0	0
May-19	0	0
June-19	0	0
July-19	0	0
August-19	0	0
September-19	0	0
October-19	0	0
November-19	0	0
December-19	0	0
January-20	0	0
February-20	0	0
March-20	0	0
Total / Year	0	0
Average/ day	0	0

Note: SCM: Standard Cubic Meter

MU: Million Units

ANNEXURE - III TREATED EFFLUENT ANALYSIS STATEMENT FOR THE FINANCIAL YEAR 2019 – 2020

Month	на	Total residual	Suspended	Dissolved Phosphates	Oil &	Copper	Iron	BOD		Temp.
		Chlorine (mg/ltr)	solids (mg/ltr)	(mg/ltr)	Grease (mg/ltr)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	Deg C
April-19										D
May-19										
June-19				No sample as plant not in service	s plant no	t in servic	بو			
July-19										
August-19										
September-19	7	BDL	20	0	BDL	BDL	0.15	11.75	16.25	0.13
October-19	7.05	BDL	17	0	BDL	BDL	0.16	14.5	17.5	0.13
November-19	68.9	BDL	14.5	0	BDL	BDL	0.15	16.5	19	0.13
December-19	7.18	BDL	21.28	0	BDL	BDL	0.15	10.5	18.5	0.13
January-20	703	BDL	19	0	BDL	BDL	0.24	16	30.5	0.21
February-20	6.95	BDL	20.5	0	BDL	BDL	0.15	16	32	0.21
March-20	6.58	BDL	18.25	0	BDL	BDL	0.27	14	34	0.29
Average	6.94		18.65	0			0.18	14.18	23.96	0.18
	6.5									
APPCB Limit	to	<1.0	<100	<5.0	<10	3.0	3.0	<30.0	<250	50C
	8.5									

Note: APPCB: Andhra Pradesh Pollution Control Board. BDL: Bellow Detectable Limit.

ANNEXURE - IV

TREATED EFFLUENT (m3) QUANTITY STATEMENT FOR THE FINANCIAL YEAR 2018-2019

Cooling F Tower Blow Down	Regeneration, Back Wash & Boiler Blow	Floor Wash and other Wash Effluents	<b>Domestic</b> <b>Effluents</b>	Lotal Quantity Effluents Generated
0	0	0	30	30
0	0	0	31	31
0	77	0	30	107
0	0	0	31	31
0	78	0	31	109
0	0	0	30	30
0	0	0	28	28
0	0	0	28	28
0	0	0	26	26
0	0	0	25	25
0	0	0	24	24
0	0	0	25	25
0	155	0	339	494
0	0.4	0.0	1.4	1.8
2064	359	1	10	

ANNEXURE - V
STACK ENGAISSION STATEMENT FOR THE FINANCIAL VEAR 2010 20

STACK EMMISSION STATEMENT FOR THE FINANCIAL YEAR **2019-2020** OXIDES OF NITROGEN (PPM) AND PM

S.No	Month	Oxides of Nitrogen in PPM	PM in mg/Nm3
1	Apr-19	0	0
2	May-19	0	0
3	Jun-19	0	0
4	Jul-19	0	0
5	Aug-19	0	0
6	Sep-19	0	0
7	Oct-19	0	0
8	Nov-19	0	0
9	Dec-19	0	0
10	Jan-20	0	0
11	Feb-20	0	0
12	Mar-20	0	0
A	verage	0	0
API	PCB Limit	50	115

#### ANNEXURE - VI

# AMBIENT AIR QUALITY ADMIN BUILDING (PLANT SITE) STATEMENT FOR THE FINANCIAL YEAR 2019-2020

S.No	Month	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	Nox
5.110	TVAORER	[µg/m3]	[µg/m3]	[µg/m3]	[μg/m3]
1	Apr-19	28.38	4.25	3.83	3.75
2	May-19	29.08	3.96	3.88	3.88
3	Jun-19	28.73	4.11	3.85	3.81
4	Jul-19	28.73	4.11	3.85	3.81
5	Aug-19	29.85	4.68	4.00	3.78
6	Sep-19	30.58	4.35	3.98	3.88
7	Oct-19	30.58	4.35	3.98	3.88
8	Nov-19	30.25	4.53	3.98	3.88
9	Dec-19	31.30	4.95	3.93	3.90
10	Jan-20	31.25	4.75	4.03	3.95
11	Feb-20	30.83	4.60	4.00	3.88
12	Mar-20	31.25	4.75	3.85	3.68
F	Average	30.06	4.45	3.93	3.84
API	PCB Limit	100	60	80	80

#### ANNEXURE - VII

NOISE LEVELS STATEMENT FOR THE FINANCIAL YEAR **2018-2019** AMBIENT NOISE LEVEL MEASUREMENTS dB [A]

ł		Plant site [M	ain Gate]
S.No	Month	Day Equivalent	Night Equival ent
1	Apr-19	63	59.5
2	May-19	60.2	56.5
3	Jun-19	48.4	47.2
4	Jul-19	50.2	48.4
5	Aug-19	55.6	52.1
6	Sep-19	56.2	53.4
7	Oct-19	56.2	53.4
8	Nov-19	56.5	54
9	Dec-19	55.8	54.6
10	Jan-20	56.2	53.5
11	Feb-20	57.8	55.5
12	Mar-20	56.5	56.5
A	verage	56.05	53.72
APP	CB Limit	75.0	70.0

#### FORM-4

## [See rules 5(6) and 22 (2)]

# FORM FOR FILLING ANNUAL RETURNS THE OCCUPIER OR OPERATOR OF

[To be submitted by occupier/operator of disposal facility to State Pollution Control Board/Pollution Control Committee by 30th June of every year for the preceding period April to March]

For the period : April 2019-March 2020

Authorization No: APPCB/VSP/RJY/647/CFO/HO/2015 4583 DT: 28.10.2015 and extended by auto renewal up to

2.	Name and address of the Occupier and Operator Facility  Name of the authoris	GMR Vemagiri Power Gene Vemagiri VIIIage Kadiyam Mandal East Godavari District Andhra Pradesh	ration Limited	
	Name of the authorized person and full address with telephone and fax number:	Mathews. P COO, Gas Assets GMR Vernagiri Power Genera Vernagiri Village Kadiyam Mandal East Godavari District	tion Limited	
	Description of Hazardous	Andhra Pradesh		
_	Waste Oil			
		NII	Used Oil Filters	
	Description of Treatment	NA NA	Nil	
	Details of Name & address of		NA NA	

7.	Details of transportation	Name & address of consignee   Made of				
		or consignee	Mode of packing	Mode of	Date of	
8.	Detail of disposal of hazardous waste			transportation	transportation	
1	Quantity of useful materials sent back to the manufacturers* and others#		Not applicable			

Date:

29/06/2020

Place: Vernagiri

Signature:

Désignation: COO, Gas Assets